EVIDENT

SAFETY DATA SHEET

1. Identification

GHS product identifier **OREAS 70B**

Other means of identification

Q0203078 **Product code**

Used as a check standard for soil and geochem calibrations. Recommended use

Recommended restrictions

Manufacturer information

Evident Scientific Company name

48 Woerd Ave. Waltham, MA 02453, USA **Address**

None known.

Telephone number +1 781-419-3900

Emergency telephone

number

CHEMTREC

US: 1-800-424-9300, International: +1-703-527-3887

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Sensitization, skin Category 1

> Germ cell mutagenicity Category 2 Carcinogenicity Category 1A Specific target organ toxicity following Category 1

repeated exposure

Environmental hazards Hazardous to the aquatic environment, acute Category 3

hazard

Hazardous to the aquatic environment, Category 3

long-term hazard

Label elements



Signal word Danger

Hazard statement May cause an allergic skin reaction. Suspected of causing genetic defects. May cause cancer.

Causes damage to organs through prolonged or repeated exposure. Harmful to aquatic life with

long lasting effects.

Precautionary statement

Prevention Obtain special instructions before use. Do not handle until all safety precautions have been read

and understood. Do not breathe dust. Wash thoroughly after handling. Avoid release to the environment. Wear protective gloves. Use personal protective equipment as required.

IF exposed or concerned: Get medical advice/attention. Response

Not available. Storage Not available. Disposal None known.

Other hazards which do not result in classification

Supplemental information None.

3. Composition/information on ingredients

Mixtures

OREAS 70B SDS South Africa Issue date: 12-March-2019

Revision date: 22-November-2022 947538 Version #: 02

Chemical name

CAS number

Content in percent (%)

High grade massive nickel
sulfide ore and barren
ultramafic material

_					
~	~ ~	sti	4	^ n	.+~
		SЦ	ш	еп	шэ

_	Chemical name	Common name and synonyms	CAS number	<u>%</u>
	Quartz		14808-60-7	-
	Nickel sulphide		16812-54-7	-

Composition comments

The hazard evaluation is based on the content of nickel sulphide.

Dermatitis. Rash. Prolonged exposure may cause chronic effects.

Use fire-extinguishing media appropriate for surrounding materials.

4. First-aid measures

InhalationMove to fresh air. Call a physician if symptoms develop or persist.Skin contactRemove contaminated clothing immediately and wash skin with soap and water. In case of eczema or other skin disorders: Seek medical attention and take along these instructions.Eye contactDo not rub eyes. Rinse with water. Get medical attention if irritation develops and persists.IngestionRinse mouth. Get medical attention if symptoms occur.Most importantDusts may irritate the respiratory tract, skin and eyes. May cause an allergic skin reaction.

symptoms/effects, acute and delayed Indication of immediate medical attention and special

Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

medical attention and special treatment needed

General information

IF exposed or concerned: Get medical advice/attention. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Wash contaminated clothing before reuse.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

media

Specific hazards arising from the chemical

Special protective equipment and precautions for firefighters

and precautions for firefighters Fire fighting

equipment/instructions

Specific methods

General fire hazards

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Use water spray to cool unopened containers.

Use standard firefighting procedures and consider the hazards of other involved materials.

The product is non-combustible.

None known.

None known.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not breathe dust. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Minimise dust generation and accumulation. Collect dust using a vacuum cleaner equipped with HEPA filter. Prevent product from entering drains. Stop the flow of material, if this is without risk.

Large Spills: Wet down with water and dike for later disposal. Shovel the material into waste container. Following product recovery, flush area with water.

Small Spills: Sweep up or vacuum up spillage and collect in suitable container for disposal.

Never return spills to original containers for re-use. Put material in suitable, covered, labeled containers. For waste disposal, see section 13 of the SDS.

Environmental precautions

Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

OREAS 70B SDS South Africa

Issue date: 12-March-2019

7. Handling and storage

Precautions for safe handling Obtain special instructions before use. Do not handle until all safety precautions have been read

and understood. Minimise dust generation and accumulation. Provide appropriate exhaust ventilation at places where dust is formed. Do not breathe dust. Avoid contact with eyes, skin, and clothing. When using, do not eat, drink or smoke. Should be handled in closed systems, if possible. Wear appropriate personal protective equipment. Wash hands thoroughly after handling.

Avoid release to the environment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Store locked up. Store in tightly closed container. Store in a well-ventilated place. Store away from incompatible materials (see section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

South Africa. Control Limits. Regulations for Hazardous Chemical Substances, Table 1 Constituents Value Type

TWA Nickel sulphide (CAS 0.5 mg/m3

16812-54-7)

South Africa. Recommended Exposure Limits (RELs) Regulations for Hazardous Chemical Substances, Table 2 Constituents **Form Type** Value

TWA Quartz (CAS 14808-60-7) 0.4 mg/m3 Respirable dust. No biological exposure limits noted for the ingredient(s).

Biological limit values

Appropriate engineering

controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. If material is ground, cut, or used in any operation which may generate dusts, use appropriate local exhaust ventilation to keep exposures below the recommended exposure limits.

Individual protection measures, such as personal protective equipment

Eye/face protection Use tight fitting goggles if dust is generated.

Skin protection

Hand protection Wear appropriate chemical resistant gloves.

Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended. Other

Respiratory protection Wear respirator with dust filter.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Observe any medical surveillance requirements. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.

9. Physical and chemical properties

Appearance

Physical state Solid. **Form** Powder. Colour Not available. Odour Not available. **Odour threshold** Not available. Not available. pН Melting point/freezing point Not available. Initial boiling point and boiling Not available.

range

Flash point Not applicable. Not applicable. **Evaporation rate**

Flammability (solid, gas) This material will not burn.

Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Not available.

Flammability limit - upper

(%)

Not available.

Not available. Explosive limit - lower (%)

OREAS 70B SDS South Africa Issue date: 12-March-2019 3/5

Revision date: 22-November-2022 947538 Version #: 02

Explosive limit - upper

(%)

Not available.

Not applicable. Vapour pressure Vapour density Not applicable. Not available. Relative density

Solubility(ies)

Solubility (water) Insoluble in water. **Partition coefficient** Not available.

(n-octanol/water)

Not applicable. **Auto-ignition temperature** Not available. **Decomposition temperature Viscosity** Not available.

Other information

Not explosive. **Explosive properties Oxidising properties** Not oxidising

10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Contact with incompatible materials.

Incompatible materials Powerful oxidizers. Chlorine.

Hazardous decomposition

products

No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Inhalation Dust may irritate respiratory system. Chronic lung disease (silicosis) and/or lung cancer may

result from prolonged/repeated breathing of the dust of this material.

Dust or powder may irritate the skin. May cause an allergic skin reaction. Skin contact

Eve contact Dust may irritate the eyes.

Expected to be a low ingestion hazard. Ingestion

Symptoms related to the physical, chemical and toxicological characteristics Dusts may irritate the respiratory tract, skin and eyes. May cause an allergic skin reaction.

Dermatitis. Rash.

Information on toxicological effects

Acute toxicity Not expected to be acutely toxic.

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation.

Serious eve damage/eve

Respiratory or skin

irritation

Direct contact with eyes may cause temporary irritation.

sensitisation

Respiratory sensitisation Not a respiratory sensitiser.

Skin sensitisation May cause an allergic skin reaction. Germ cell mutagenicity Suspected of causing genetic defects.

Carcinogenicity May cause cancer.

IARC Monographs. Overall Evaluation of Carcinogenicity

Nickel sulphide (CAS 16812-54-7) 1 Carcinogenic to humans. Quartz (CAS 14808-60-7) 1 Carcinogenic to humans.

US NTP Report on Carcinogens: Known carcinogen

Nickel sulphide (CAS 16812-54-7) Known To Be Human Carcinogen. Quartz (CAS 14808-60-7) Known To Be Human Carcinogen.

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -Causes damage to organs through prolonged or repeated exposure.

repeated exposure

947538 Version #: 02 Revision date: 22-November-2022 Issue date: 12-March-2019 4/5

OREAS 70B SDS South Africa **Aspiration hazard** Not an aspiration hazard.

Causes damage to organs through prolonged or repeated exposure. **Chronic effects**

12. Ecological information

Harmful to aquatic life with long lasting effects. **Ecotoxicity**

Persistence and degradability No data is available on the degradability of any ingredients in the mixture.

Bioaccumulative potential No data available. Mobility in soil No data available

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow

this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches

with chemical or used container. Dispose of contents/container in accordance with

local/regional/national/international regulations.

Dispose in accordance with all applicable regulations. Local disposal regulations

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Since emptied containers may retain product residue, follow label warnings even after container is Contaminated packaging

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

14. Transport information

Not regulated as dangerous goods.

RID

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Annex II of MARPOL 73/78 and

the IBC Code

Not applicable.

15. Regulatory information

Safety, health and environmental regulations specific for the product in question

Hazardous Substances Act, 1973 (Act No. 15 of 1973)

Not listed.

International regulations

Stockholm Convention

Not applicable.

Rotterdam Convention

Not applicable.

Montreal Protocol

Not applicable.

Kyoto Protocol

Not applicable.

Basel Convention

Not applicable.

16. Other information

12-March-2019 Issue date **Revision date** 22-November-2022

Version No.

Evident Scientific cannot anticipate all conditions under which this information and its product, Disclaimer

or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.

OREAS 70B SDS South Africa Issue date: 12-March-2019