

# SAFETY DATA SHEET

## 1. Identification

Name of the substance or

**OREAS 70B** 

mixture (trade name)

Product code

Q0203078

Major recommended uses for

the substance or mixture

Used as a check standard for soil and geochem calibrations.

Specific restrictions for use of

Not available.

the substance or mixture

Manufacturer/Importer/Distributor information

Company name Evident Scientific

48 Woerd Avenue

Waltham, MA 02453

USA

Telephone number +1-781-419-3900 Emergency telephone CHEMTREC

number

US: +1-800-424-9300, International: +1-703-527-3887

### 2. Hazards identification

# Classification of the substance or mixture

Physical hazards Not classified.

Health hazardsSensitization, skinCategory 1

Germ cell mutagenicity

Category 2

Carcinogenicity

Category 1A

Specific target organ toxicity, repeated

Category 1

exposure

Environmental hazards Hazardous to the aquatic environment, acute Category 3

hazard

Hazardous to the aquatic environment, Category 3

long-term hazard

## GHS labeling elements, including precautionary statements

Hazard symbol(s)



Signal word Danger

Hazard statement(s) May cause an allergic skin reaction. Suspected of causing genetic defects. May cause cancer.

Causes damage to organs through prolonged or repeated exposure. Harmful to aquatic life with

long lasting effects.

Precautionary statement(s)

**Prevention** Obtain special instructions before use. Do not handle until all safety precautions have been read

and understood. Do not breathe dust. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Contaminated work clothing must not be allowed out of the workplace. Avoid release to the environment. Wear protective gloves/protective clothing/eye protection/face

protection.

Response IF ON SKIN: Wash with plenty of soap and water. IF exposed or concerned: Get medical

advice/attention. If skin irritation or rash occurs: Get medical advice/attention. Take off

contaminated clothing and wash it before reuse.

Storage Store locked up

**Disposal** Dispose of contents/container in accordance with local/regional/national/international regulations.

Other hazards which do not

result in classification

None known.

947538 Version #: 02 Issue date: 12-March-2019 Revision date: 22-November-2022 2/7

Supplemental information

None.

## 3. Composition/information on ingredients

**Mixture** 

Common chemical name or technical name	CAS number	Concentration or concentration range
High grade massive nickel sulfide ore and barren ultramafic material	-	100

Constituents

Common chemical name or technical name	CAS number	Concentration or concentration range
Quartz	14808-60-7	-
Nickel sulfide	16812-54-7	-

The hazard evaluation is based on the content of nickel sulfide. **Composition comments** 

#### 4. First-aid measures

First-aid measures

Eye contact

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Remove contaminated clothing immediately and wash skin with soap and water. In case of Skin contact

eczema or other skin disorders: Seek medical attention and take along these instructions. Do not rub eyes. Rinse with water. Get medical attention if irritation develops and persists.

Ingestion Rinse mouth. Get medical attention if symptoms occur.

Most important symptoms/effects, acute and

delaved

Dusts may irritate the respiratory tract, skin and eyes. May cause an allergic skin reaction.

Dermatitis. Rash. Prolonged exposure may cause chronic effects.

Personal protection for first-aid

responders

IF exposed or concerned: Get medical advice/attention. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in

attendance. Wash contaminated clothing before reuse.

Notes to physician Provide general supportive measures and treat symptomatically. Keep victim under observation.

Symptoms may be delayed.

# 5. Fire-fighting measures

Means of fire extinguishing

Suitable extinguishing

media

Use fire-extinguishing media appropriate for surrounding materials.

Unsuitable extinguishing

media

None known.

Specific hazards arising from

the chemical

None known.

Special fire fighting

procedures

Use water spray to cool unopened containers.

Protective measures taken by

firefighting crews

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

The product is non-combustible. General fire hazards

# 6. Control measures for spills and leaks

### Personal precautions, protective equipment and emergency procedures

To be taken by those who are not involved in rendering emergency services

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not breathe dust. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

To be taken by those who are involved in rendering emergency services

Keep unnecessary personnel away. Use personal protection recommended in Section 8 of the SDS.

#### **Environmental precautions**

Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

## Methods and materials for containment and cleaning up

Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Minimize dust generation and accumulation. Collect dust using a vacuum cleaner equipped with HEPA filter. Prevent product from entering drains. Stop the flow of material, if this is without risk.

Large Spills: Wet down with water and dike for later disposal. Shovel the material into waste container. Following product recovery, flush area with water.

Small Spills: Sweep up or vacuum up spillage and collect in suitable container for disposal.

Never return spills to original containers for re-use. Put material in suitable, covered, labeled containers. For waste disposal, see section 13 of the SDS.

# 7. Handling and storage

### Precautions for safe handling

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Minimize dust generation and accumulation. Provide appropriate exhaust ventilation at places where dust is formed. Do not breathe dust. Avoid contact with eyes, skin, and clothing. When using, do not eat, drink or smoke. Should be handled in closed systems, if possible. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Avoid release to the environment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Store locked up. Store in tightly closed container. Store in a well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS).

# 8. Exposure controls/personal protection

**Control parameters** 

Follow standard monitoring procedures.

Occupational exposure limits

US. ACGIH	Threshold	Limit Values
-----------	-----------	--------------

Constituents	Type	Value	Form
Nickel sulfide (CAS 16812-54-7)	TWA	0.2 mg/m3	Inhalable fraction.
Quartz (CAS 14808-60-7)	TWA	0.025 mg/m3	Respirable fraction.
Colombia. OELs. Resolution No. (	02400: Norms Concerning Wo	rking Conditions, Health and S	afety in the Workplace
Constituents	Туре	Value	Form
Nickel sulfide (CAS 16812-54-7)	TWA	0.2 mg/m3	Inhalable fraction.
	T) A / A	0.025 mg/m3	Respirable fraction.
Quartz (CAS 14808-60-7) Ecuador. OELs (INEN 2266:2013,		•	•
Ecuador. OELs (INEN 2266:2013, Requirements. 1st ed., 1/29, 2013) Constituents	2013-01 2nd rev.: Transport, s Type	storage and handling of hazard	ous materials.
Ecuador. OELs (INEN 2266:2013, Requirements. 1st ed., 1/29, 2013)	2013-01 2nd rev.: Transport, s	storage and handling of hazard	ous materials.
Ecuador. OELs (INEN 2266:2013, Requirements. 1st ed., 1/29, 2013) Constituents Nickel sulfide (CAS	2013-01 2nd rev.: Transport, s Type	storage and handling of hazard	ous materials.
Ecuador. OELs (INEN 2266:2013, Requirements. 1st ed., 1/29, 2013) Constituents Nickel sulfide (CAS 16812-54-7)	2013-01 2nd rev.: Transport, s Type TWA TWA	Value  0.2 mg/m3  0.025 mg/m3	Form Inhalable fraction. Respirable fraction.
Ecuador. OELs (INEN 2266:2013, Requirements. 1st ed., 1/29, 2013) Constituents  Nickel sulfide (CAS 16812-54-7) Quartz (CAS 14808-60-7)  Paraguay. Decree No. 14.390/92 th	2013-01 2nd rev.: Transport, s Type TWA TWA	Value  0.2 mg/m3  0.025 mg/m3	Form Inhalable fraction. Respirable fraction.
Ecuador. OELs (INEN 2266:2013, Requirements. 1st ed., 1/29, 2013) Constituents  Nickel sulfide (CAS 16812-54-7) Quartz (CAS 14808-60-7)  Paraguay. Decree No. 14.390/92 the Workplace	Type TWA TWA nat approves the General Tecl	Value  0.2 mg/m3  0.025 mg/m3  hnical Regulation of Safety, Hy	Form Inhalable fraction. Respirable fraction. giene and Medicine in the

### Peru. OELs. Decreto Supremo 015-2005-SA (Reglamento sobre Valores Límites Permisibles para Agentes Químicos en el Ambiente de Trabajo)

Constituents	Туре	Value	Form
Nickel sulfide (CAS 16812-54-7)	TWA	0.2 mg/m3	
Quartz (CAS 14808-60-7)	TWA	0.05 mg/m3	Respirable fraction.

Venezuela. VTRE (Technical Reference Exposure Values, Table 1, FONDONORMA 2253)			
Constituents	Туре	Value	Form
Nickel sulfide (CAS 16812-54-7)	TWA	0.2 mg/m3	Inhalable fraction.
Quartz (CAS 14808-60-7)	TWA	0.025 mg/m3	Respirable fraction.
Biological limit values	No biological exposure limits noted for	or the ingredient(s).	
Appropriate engineering controls	Good general ventilation should be use applicable, use process enclosures, I maintain airborne levels below recomestablished, maintain airborne levels any operation which may generate duexposures below the recommended exposures.	ocal exhaust ventilation, or other imended exposure limits. If expo to an acceptable level. If materia usts, use appropriate local exhau	r engineering controls to osure limits have not been al is ground, cut, or used in
Personal protective measures Eyes and face protection	Use tight fitting goggles if dust is gen	erated.	
Skin protection			
Hand protection	Wear appropriate chemical resistant	gloves.	
Other	Wear appropriate chemical resistant	clothing. Use of an impervious a	pron is recommended.
Respiratory protection	Wear respirator with dust filter.		

Wear appropriate thermal protective clothing, when necessary. Thermal hazards

Hygiene measures Observe any medical surveillance requirements. Always observe good personal hygiene

> measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

Contaminated work clothing should not be allowed out of the workplace.

# 9. Physical and chemical properties

**Appearance** 

Product name: OREAS 70B

Solid. Physical state **Form** Powder. Color Not available. Odor Not available. **Odor threshold** Not available. рΗ Not available. Not available. Melting point/freezing point Initial boiling point and boiling Not available. temperature range

Flash point

Not applicable. **Evaporation rate** Not applicable.

Flammability (solid, gas) This material will not burn.

Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

(%)

Flammability limit - upper

Not available.

Not available. Explosive limit - lower (%) Not available. Explosive limit - upper (%) Not applicable.

Vapor pressure Vapor density Not applicable. Relative density Not available.

Solubility(ies)

Solubility (water) Insoluble in water. Partition coefficient Not available.

(n-octanol/water)

Not applicable. **Auto-ignition temperature** Not available. **Decomposition temperature** Not available. **Viscosity** 

#### 5/7

### Other physical and chemical parameters

**Explosive properties** Not explosive. **Oxidizing properties** Not oxidizing.

## 10. Stability and reactivity

**Reactivity** The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Contact with incompatible materials.

Incompatible materials Powerful oxidizers. Chlorine.

Hazardous decomposition products

No hazardous decomposition products are known.

# 11. Toxicological information

## Information on likely routes of exposure

Inhalation Dust may irritate respiratory system. Chronic lung disease (silicosis) and/or lung cancer may

result from prolonged/repeated breathing of the dust of this material.

**Skin contact** Dust or powder may irritate the skin. May cause an allergic skin reaction.

**Eye contact** Dust may irritate the eyes.

**Ingestion** Expected to be a low ingestion hazard.

**Symptoms** Dusts may irritate the respiratory tract, skin and eyes. May cause an allergic skin reaction.

Dermatitis. Rash.

Acute toxicity Not expected to be acutely toxic.

**Skin irritation and corrosion** Prolonged skin contact may cause temporary irritation. **Serious eye damage/eye** Direct contact with eyes may cause temporary irritation.

irritation

Respiratory or skin sensitization

Venezuela OELs: Sensitizer

Nickel sulfide (CAS 16812-54-7) Sensitizer.

**Respiratory sensitization** Not a respiratory sensitizer.

Skin sensitization May cause an allergic skin reaction.

Germ cell mutagenicity Suspected of causing genetic defects.

Carcinogenicity May cause cancer.

**ACGIH Carcinogens** 

Nickel sulfide (CAS 16812-54-7)

Quartz (CAS 14808-60-7)

A1 Confirmed human carcinogen.

A2 Suspected human carcinogen.

Colombia. OELs. Resolution No. 02400: Norms Concerning Working Conditions, Health and Safety in the Workplace

Nickel sulfide (CAS 16812-54-7)

Quartz (CAS 14808-60-7)

A1 Confirmed human carcinogen.

A2 Suspected human carcinogen.

Ecuador. OELs (INEN 2266:2013, 2013-01 2nd rev.: Transport, storage and handling of hazardous materials.

Requirements. 1st ed., 1/29, 2013)

Nickel sulfide (CAS 16812-54-7) Group A1 Confirmed human carcinogen.

Quartz (CAS 14808-60-7) Group A2 Suspected human carcinogen.

IARC Monographs. Overall Evaluation of Carcinogenicity

Nickel sulfide (CAS 16812-54-7) 1 Carcinogenic to humans. Quartz (CAS 14808-60-7) 1 Carcinogenic to humans.

Paraguay. Decree No. 14.390/92 that approves the General Technical Regulation of Safety, Hygiene and Medicine in the Workplace

Nickel sulfide (CAS 16812-54-7)

Quartz (CAS 14808-60-7)

A1 Confirmed human carcinogen.

A2 Suspected human carcinogen.

Peru. OELs. Decreto Supremo 015-2005-SA (Reglamento sobre Valores Límites Permisibles para Agentes Químicos en el Ambiente de Trabajo)

Nickel sulfide (CAS 16812-54-7)

A1 Carcinogen category: A1

**Toxic to reproduction**This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity - Not classified.

single exposure

947538 Version #: 02 Issue date: 12-March-2019 Revision date: 22-November-2022

Specific target organ toxicity -

repeated exposure

Causes damage to organs through prolonged or repeated exposure.

**Aspiration hazard** Not an aspiration hazard.

**Chronic effects** Causes damage to organs through prolonged or repeated exposure.

## 12. Ecological information

**Ecotoxicity** Harmful to aquatic life with long lasting effects.

Persistence and degradability No data is available on the degradability of any ingredients in the mixture.

**Partition coefficient**No data available.

No data available.

n-octanol / water (log Kow)

Bioconcentration factor

(BCF)

Not available.

Mobility in soil No data available for this product.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

6/7

## 13. Considerations on final disposal

### Recommended methods for final destination

Residual waste Dispose of in accordance with local regulations. Empty containers or liners may retain some

product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

**Contaminated packaging** Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

**Local disposal regulations** Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow

this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches

with chemical or used container. Dispose of contents/container in accordance with

local/regional/national/international regulations.

## 14. Transport information

#### **National regulations**

### ANTT

Not regulated as dangerous goods.

## International regulations

## IATA

Not regulated as dangerous goods.

## **IMDG**

Not regulated as dangerous goods.

Transport in bulk according to

Not applicable.

Annex II of MARPOL 73/78 and the IBC Code

## 15. Regulatory information

Federal regulations

This product is not classified for Transportation in accordance with Resolution ANTT Resolution

5232, of December 14, 2016, as amended.

Colombia. Controlled Substances (Resolution No. 009 of 1987 nationally regulating the transport & use of substances in subparag. f) of article 20 of Law 30 of 1986, as amended)

Not listed.

## International regulations

### **Montreal Protocol**

Not applicable.

**Stockholm Convention** 

Not applicable.

### **Rotterdam Convention**

Not applicable.

## **Kyoto protocol**

Not applicable.

Product name: OREAS 70B SDS SOUTH AMERICA

947538 Version #: 02 Issue date: 12-March-2019 Revision date: 22-November-2022

#### **Basel Convention**

Not applicable.

### 16. Other information

Significant information, yet not specifically related to the previous sections

Not available.

Legends and abbreviations

ANTT: National Agency of Land Transport. IATA: International Air Transport Association.

IMDG Code: International Maritime Dangerous Goods Code.

Disclaimer

Evident Scientific cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.

7/7